



Operating during Covid-19 (Coronavirus) Pandemic

Operating during Covid-19 (Coronavirus) Pandemic

Location of Activity Jump Jam Bridgend	Ref No. JJ1	Assessors Name * Chris Payne	Date of Assessment 05-08-2020	Next Review Date 11-08-2021
QMS/Work Instructions Please select a instruction or manually write it	Names of Employees Consulted Please select a employee or manually write it		Hazard Risk Rating <b>VERY LOW</b>	
Training/Qualifications Required to Complete this Activity Punch Taverns Plc Risk Assessment Training Manager	Personal Protective Equipment (PPE) Required to Complete this Activity Please select a equipment or manually write it		Potential Risk Rating <b>VERY LOW</b>	
Legislation, guidance and information used in support of this assessment <a href="#">Workplace (Health, Safety &amp; Welfare) Regulations, 1992</a>	Other Risk Assessments Cross Referenced Please select a assessment or manually write it			

Potential Harm/Consequence		Likelihood That Harm Will Occur		The risk rating indicates the level of response required to be taken when adding actions to the improvement plan (RRP). Ratings between 15 and 25 require an urgent review of existing control measures.	Risk Rating	
1	Insignificant	1	Very Unlikely		Very Low Risk 1 - 2	No action required
2	Minor	2	Unlikely		Low Risk 3 - 6	Monitor
3	Moderate	3	Possible		Medium Risk 8- 12	Action required
4	Major	4	Likely		High Risk 15 - 16	Urgent Action
5	Catastrophic	5	Very Likely		Critical Risk 20 - 25	Work Must Stop and take immediate action
If the Risk Rating is 15 or more and no further control measures are practicable, add the risk to the H&S Risk Register.						

Hazard	Who May be Harmed	Current Control Measure in Place	Risk Rating With Current Control Measures In Place	Sample of any Reviewed Control Measures	Additional Control Measures Required	Potential Risk Rating After Additional Control Measures Implemented
+ Category Keeping up-to-date with official guidance						
+ Lack of information			1 x 1 1	Add Sample Measure	Please select additional control measure or manual	1 x 1 1

	Add Description/Detail of how harm is caused	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Government advice regularly checked by Chris"/> <input type="text" value="NHS advice regularly checked and followed by Chris"/>		<input type="button" value="View Files"/> <input type="button" value="View Links"/>				
<b>-</b>	<b>Category</b>	Preventing the spread of Covid-19 (Coronavirus) in the building							
<b>+</b>	<input type="text" value="Access points to premises"/> No restriction of entry and exit points to the premises which reduces the control of persons entering/exiting the building/area	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Suitable locking/closing mechanisms available on non-emergency exit doors"/> <input type="text" value="Restricted entry/exit on some external doors (not compromising emergency exits)"/>	1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1
<b>-</b>	<input type="text" value="Social Distancing"/> Visitors in close contact with other visitors to the facility, incorrect social distancing	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/> <input type="text" value="Visitor"/>	<input type="text" value="Cafe tables spread out to be at least 2m apart"/> <input type="text" value="Government guidance on social distancing followed"/> <input type="text" value="1 spectator per customer rule enforced and in place"/>	1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1
<b>-</b>	<input type="text" value="Toilet Tissue"/> Lack of toilet paper increasing risk of unhygienic hand sanitation	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Sufficient planning with consumables suppliers in place"/> <input type="text" value="Hot water and hand soap available at all times"/>	1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1
<b>-</b>	<input type="text" value="Hand Washing Facilities"/> Lack of hand washing facilities leading to increased risk of spread of bacteria/virus	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Hand sanitation points provided"/> <input type="text" value="Hand soap dispensers kept filled"/> <input type="text" value="Hand dryers maintained in working order"/> <input type="text" value="Paper towels provided"/> <input type="text" value="Hot water system maintained to provide constant supply"/> <input type="text" value="Non-touch dispensers in place"/>	1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1
<b>-</b>	<input type="text" value="Door Mechanisms"/>			1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1

	Contact points on doors / revolving doors creating increased risk of bacteria /virus contamination	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Sensor operated mechanisms in place"/> <input type="text" value="Robust cleaning regime in place"/> <input type="text" value="Hand sanitation provided on entry/exit"/> <input type="text" value="Step and pull door mechanisms installed around park"/>			<input type="button" value="View Files"/> <input type="button" value="View Links"/>			
-	<input type="text" value="Visitor Access"/> No restriction on visitor access to public areas increasing potential spread of bacteria/virus contamination	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Restricted areas kept locked to prevent unauthorised access"/>	1 x 1	1	<input type="button" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
-	<b>Category</b>	Handling staff/customers presenting symptoms whilst in the facility							
+	<input type="text" value="Staff unwell"/> Staff continuing to work if feeling unwell	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Staff must self-isolate if they feel unwell and have flu like symptoms"/> <input type="text" value="Government guidance followed"/>	1 x 1	1	<input type="button" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
-	<input type="text" value="Customers unwell"/> Customers entering the premises with flu-like symptoms	<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Customers should be tactfully refused entry and directed to self-isolate and call/email NHS 111"/> <input type="text" value="Government guidance followed"/>	1 x 1	1	<input type="button" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
-	<b>Category</b>	High Risk Employees (as defined by government, including those who are pregnant, have underlying health issues, employees over the age of 70 years)							
+	<input type="text" value="High risk employees"/> Those employees who are at higher risk if contracting Covid-19	<input type="text" value="Staff"/>	<input type="text" value="Government guidance followed"/> <input type="text" value="Home working arranged as appropriate"/> <input type="text" value="Social distancing encouraged"/> <input type="text" value="HR procedures in place for those unable to work from home and required to isolate as per government guidelines"/>	1 x 1	1	<input type="button" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
-	<b>Category</b>	Staff behaviour							
+				1 x 1	1			1 x 1	1

	Staff behaviour Staff in workplace increasing risk of community transmission	Staff	Staff work from home if at all possible DSE risk assessment completed for those working from home Staff practice social distancing as much as possible			Add Sample Measure View Files View Links	Please select additional control measure or manual		
-	Workspace Poor workspace hygiene leading to increased risk of transferring bacteria/virus	Staff Contractors Customer - Adult Customer - Child	Information posters, advisory notices and staff training in good hygiene practice and techniques in line with government guidance Viricidal sprays available for wiping down work surfaces and equipment Hand sanitiser available Robust cleaning schedule in place which is monitored Catering staff handling and serving food/drinks to wear protective gloves at all times	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Physical contact Handshaking or other greeting increasing risk of transferring bacteria/virus	Staff Contractors Customer - Adult Customer - Child	Handshaking and general close personal greetings are discouraged Hand washing protocols and hygiene facilities in place	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Travel Travel for business purposes	Staff	Business related travel restricted to essential staff only Video conferencing used for meetings, contact with suppliers, and where necessary, customers	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	<b>Category</b>	First Aid							
+	First Aid Withdrawal of first aid to a person in need could put their life at risk	Staff Contractors Customer - Adult Customer - Child	First aid trained personnel available during opening hours Preservation of life a priority Strict hygiene protocols in place to try to reduce transmission and adhered to First aid provisions available at all times during opening hours	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	<b>Category</b>	Cleaning and Waste							
+				1 x 1	1			1 x 1	1

	<p>Cleaning Staff</p> <p>Reduced levels of cleaning staff available increasing risk of being unable to provide adequate cleaning services</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Additional multiskilled staff rostered to carry out cleaning tasks</p> <p>Restriction of areas available to staff/public to reduce facilities to be cleaned</p> <p>Business continuity plan in place</p>			<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>		
-	<p>Waste Disposal</p> <p>Inappropriate disposal of waste, in particular used tissues, increasing the risk of contamination</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Work instructions in place on disposal of waste in line with government guidance in link below</p> <p>Personal protective equipment available, including gloves, aprons, face masks</p> <p>Waste placed in plastic rubbish bags and tied, then placed immediately in normal secured waste disposal receptacle</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Cleaning Practice</p> <p>Poor cleaning practice increasing risk of bacterial/viral contamination</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Robust general cleaning schedule in place</p> <p>Cleaning tasks monitored by supervisor</p> <p>Additional cleaning programmed for high touch points - including light switches, furniture, handrails, IT equipment, desks, phones, push plates, taps, dispensers, lockers etc.</p> <p>Government guidelines followed:  <a href="https://www.gov.uk/government/publications/covid-19-decontamination-in-non-healthcare-settings/covid-19-decontamination-in-non-healthcare-settings">https://www.gov.uk/government/publications/covid-19-decontamination-in-non-healthcare-settings/covid-19-decontamination-in-non-healthcare-settings</a></p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Substances and Equipment</p> <p>Untrained staff using cleaning substances and equipment</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>COSHH assessment for all substances in place</p> <p>Work instruction for tasks in place</p> <p>Only staff trained in safe methods and use of substances carry out cleaning tasks, including mechanical cleaning equipment</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<b>Category</b>	Handling post or packages							
+	<p>Handling</p> <p>Handling post, packages or food</p>	<p>Staff</p>	<p>Work instructions in place</p> <p>Personal protective equipment provided for handling items if required</p> <p>Government guidelines followed:  <a href="https://www.gov.uk/government/publications/guid-to-employers-and-businesses-about-covid-19/guid-for-employers-and-businesses-on-coronavirus-cov">https://www.gov.uk/government/publications/guid-to-employers-and-businesses-about-covid-19/guid-for-employers-and-businesses-on-coronavirus-cov</a></p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

Category		Business Continuity							
+	Facility closure Closure of building due to Covid-19 infected person having been or suspected to have been in the premises, or insufficient staff to	Staff Customer - Adult Customer - Child	Business continuity plan in place and communicated to all users Minimum staffing levels identified to safely operate. Building closed if such numbers are not available Flexible emergency rosters introduced to maintain a level of service	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Infected person Covid-19 infected person having been or suspected to have been in the premises	Staff Contractors Customer - Adult Customer - Child	Deep clean and sanitisation of facility Government advice followed	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Cleaning Provision Contracted cleaning provision interrupted or discontinued	Staff Contractors Customer - Adult Customer - Child	Business continuity plan in place Staff trained in cleaning tasks	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1

Revision History			
<input type="text"/>		<input type="text" value="10"/>	
Reviewed By	Name	Comment	Date
Jump Company (Bridgend) Ltd	Chris Payne		05/08/2020
Showing 1 to 1 of 1 entries			<input type="button" value="Previous"/> <input type="button" value="1"/> <input type="button" value="Next"/>